Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



★ SEP 29 1947 ★

A R DIPARTMENT OF ASSESSED FROM

AVAILABLE STOCK LIST 1947-48

FILBERTS: European	1-2	1 2	-31		3-41
Aveline	8	4			_
Barcelona	21		29		7
Cosford	~1		2		1
	1				_
DuChilly Tholian Pad	4		8		_
Italian Red	68		4 3		-
Medium Long	8		3		1
Purple Aveline	3		-		-
Hybrid Filberts					
Bixby	10		13		3 7
Buchanan	89		75		7
#1024	11		2		1
1150	5		-		-
7R3	8		14		3
1042 /	1				-
6R3	5 8 1 1 1 3		3 2 1 1		-
1055	1		1		-
2R2	3		1		***
172	14		12		-
806 •	8	7	14		1
170	1		3		-
В	2		3		
1012	8 1 2 4 4 4		4		1
1094	4		5		1
1195	4		-		_
175	11		4		-
185 /			4		4
C	2		4		
1047 '	4 2 2		ī		
Native Filbert	~		1		
Rush	2		7		5
Plant at least three varieties		filhenta		01000	
rano do reaso onree variectes	OI	TITHETOR	777	CTORE	DIOY-

Plant at least three varieties of filberts in close proximity for cross pollination.

CHINESE CHESTNUTS - one year seedlings and older from selected trees.

serected trees.			
Price per	each	dozen	100
6-12" in height	. 45	\$4.50	\$30.00
12-18" "	.75	7.00	50.00
18-24" "	1.00	9.50	75.00
2-3 ft.	1.50		
3-4 ft. "	2.00		

TERMS: All shipments f.o.b. your station in the U.S. Cash with order or before shipment. Each price will prevail when from one to five trees are ordered. Six trees at the dozen rate. Twenty-five trees at the 100 rate. Stock is limited and will be reserved as orders are received.

Jones' Nursery
Mildred M. Jones, P.O. Bx 356
Lancaster, Penna.

14-8	16-5	15-1	FILEERTS: European
	-	8	Aveline
97	29	IS	inreelona .
	0	("	broleou
cech.	8 8 4	A.	Duchilly
clina	9	9	bes nallsji
(See	4		Medium Long
Ţ	8	8	rurplo Aveline
p==	***	3	Hybrid Filberts
		- 4	Hixby
8	13	10	Tours
	75	11	Duchanan
I.	S	II	#1024
rady	rán (m.	6	. Ogli
8	14	8	783
\$600	3	I.	1042
何和	S	I	6R5
600	2	1	1055
-	ſ	3	SRS
due:	SI	14	172
ı	14	E	806
aka	3	ſ	170
	Ĺ	Co	B
C	ala A	S	2012
	4	<u>A</u>	1094
ahu		1	1195
des	ren fo	11	176
0.0	<u> </u>		
\$	4.	4 S	
cre	4		1047
GG	1	S	Native Filbert
			arearis astron
5	4	S	Rush
and the second second	I THE THE PROPERTY	the same of the last the same	The state of the s

-rorg eacle at attedit to seiternev inity for cross pollination.

CHIMES CHESTWUTS - one year seedlings and older from

001	dozen	each	Price per
00.08	4.50	.45	6-12" in height
50,00	7.00	.75	12-18"
75.00	9.50	1.00	18-24"
		1.50	
		00.8	8-4 ft. W

TERMS: All shipments f.o.b. your station in the U.S. Cash with order or before shipment. Each price will prevail when from one to five trees are ordered. Six trees at the dozen rate. Twenty-live trees at the 100 rate. Stock is limited and will be

midred M. Jones, F.O. Bx 356 Lancaster, Jenna. Price of filbert plants 1-2' 2-3' 3-4'
Once transplanted plants, each \$1.25 \$1.50 \$1.75

Notes on Planting -

Plant the trees immediately upon arrival if possible. If the plants should come to you in a rather dry condition it may be well to immerse the roots in water before planting. We pack to have the plants arrive in good condition, but they may be delayed in transit or subjected to over-heating which is beyond our control after they leave our hands. If soil is too wet for immediate planting, heel the trees in - temporarily plant - in another location, or unwrap the package and inspect the trees to see if they are sufficiently moist, add water to the packing material if necessary, then rewrap and store in a cool cellar until weather permits planting.

DISTANCE TO PLANT. Filberts for screen hedge, 6 ft. apart. In orchard formation about 25 ft. apart. Chestnuts in orchard planting about 40 ft. apart for the permanent planting.

Dig holes large to allow the roots to rest in a natural position. Use a good top soil to fill in and tamp the earth solidly about the roots. Don't use manure or coarse material about the roots. Don't put fertilizer in immediate contact with the roots. When the soil has been filled in to within three inches of the surface, you may use from one to several buckets of water around the tree, depending on the size of the tree and the amount of water required to sook to the bottom of the tree roots. When the water has soaked in, fill in the balance of soil, leaving a depression of about an inch around the tree, shaped like a saucer, so that rain water will collect to the tree rather than run away. Plant about the same depth as the tree stood in the nursery, or not more than one inch deeper.

Fruning the tree. If you have not requested this done at the nursery, trim your tree to balance the loss of fine hair roots and to force new growth on the tree. (If tree is planted in fall, let stand as planted and remove the top in early spring before growth starts. If planted in spring, trim tree as soon as planted.) Remove any undesirable branches, and cut off about 1/3 of the previous season's growth. With filberts, trim the side branches back so that an outside bud is left to make the main growth again. This will give a better shape to the plant than to have the branches grow toward the center.

Training the Chinese chestnut tree. This should be trained with a low head similar to a low-headed apple tree. In planting small trees, usually the side branches are all that is necessary to trim off, leaving a straight stem for planting.

Jones' Nursery
Mildred M. Jones
P. O. Box 356
Lancaster, Penna.

Date transpl need plants, each

53.50

- animala no setoW

Flant the trees imadistely upon errivel if possible. If the the trees in - tenjorarily plant - in enotaer loc tion, or unwant moist, add water to the meeting material if necessary, then rewrap

DISTANCE TO FLAMP. Filberts for soreon dedge, 6 ft. apart. In organization about 25 ft. apart. Chastmuts in organization

position. U a. good top got in end temp the certification solidly about the roots. Don't use conurs or coarse material about the surface, you may use from one to several backets of water around the tree, depending on the size of the tree and the amount of water required to solk to the postes of the tree roots. Then not make that one inch despor.

rruning the tree. If you have not requested this done at the nursery, trim your tree to make not loss of rine mair roots and to force new growth on the tree. (If tree is plented in rull.

Treining the Chinese chestaut tree. This should be trained with a low head simil r to r low-headed apple tree. In planting small trees, usually the side branches are all that is procesuary to brim off, leaving a straight atem for pleating.

> Bened II. Jones L'houster, Penna.